



CONSTRUCTION ACCESSORIES

RENAULT TRUCKS C & K



RENAULT TRUCKS

99 Route de Lyon
69806 Saint-Priest Cedex
France
Tél.+33 (0)4 69 09 60 00

We recommend Renault Trucks Oils.

We recommend Renault Trucks Oils.
Dimensions and specifications are provided for guidance only.
The manufacturer reserves the right to change them without prior warning.
Renault Trucks SAS with a capital of €50 000 000 - 954 506 077 RCS Lyon
10/2021



RENAULT
TRUCKS
OILS

renault-trucks.co.uk



renault-trucks.co.uk

HEAVY CONSTRUCTION AND CONSTRUCTION RANGES

WITH THE RIGHT ACCESSORIES, CUSTOMISE
A RENAULT TRUCK AND MAKE IT YOUR OWN.

Renault Trucks offers a full range of quality accessories to meet your needs. From improving your vehicle's performance, protecting the safety of the driver, road users and transported goods to the onboard comfort of your drivers.



CONTENTS

OPTIMISATION

DEFLECTORS
VISORS

PROTECTION

ANTI-THEFT SECURITY
FIRE SAFETY
SAFETY SYSTEMS
DRIVING SAFETY
VISIBILITY
SCREENS
WIPER BLADES

P 04

P 06
P 06

COMFORT

CAB FIXTURES AND FITTINGS
SEAT COVERS AND FLOOR MATS
CAMERAS
CB
ADDITIONAL LIGHTING
WHEEL EQUIPMENT
AIR CONDITIONING UNITS

P 08

P 10
P 11
P 11
P 12
P 13
P 15
P 15

ROBUSTNESS

BATTERY ACCESSORIES
DRIVING ASSISTANCE

P 16

P 18
P 21
P 23
P 23
P 24
P 26
P 27

P 28

P 30
P 31



OPTIMISATION

When you choose Renault Trucks, you're buying much more than just a truck. When you fit accessories to your vehicle, you are improving its aerodynamics and further improving your fuel consumption.



DEFLECTORS

Roof deflectors



Fixed roof deflector for tractor and rigid Day cab	74 82 595 059
Fixed roof deflector for tractor Night & Day cab	74 21 963 722
Fixed roof deflector for rigid Night & Day cab	74 21 963 719
Electric roof deflector for tractor Night & Day cab	74 21 823 561
Electric roof deflector for rigid Night & Day cab	74 22 069 194

For **Renault Trucks C cab 2.5 m**

VISORS

Visors

Visor for Day cab and Night & Day cab	74 84 807 108
Injected thermoplastic, transparent grey. Weight: 3.7 kg. Sun visor function: prevents glare and dazzle whilst lowering the temperature inside the cab.	
<u>To be ordered with:</u>	
External support kit LH H1	74 82 363 070
External support kit RH H1	74 82 364 622
Internal support kit LH H1	74 82 364 611
Internal support kit RH H1	74 82 364 620
Visor grommet (rubber)	74 82 518 052

Visor for Sleeper cab and High Sleeper cab	74 82 366 153
Injected thermoplastic, transparent grey. Weight: 3.42 kg. Sun visor function: prevents glare and dazzle whilst lowering the temperature inside the cab.	
<u>To be ordered with:</u>	
External support kit LH H2	74 82 366 148
External support kit RH H2	74 82 366 146
Internal support kit LH H2	74 82 366 114
Internal support kit RH H2	74 82 366 134
Visor grommet (rubber)	74 82 518 052



PROTECTION

Our accessories are specially designed to ensure driver safety and to protect your loads.



ANTI-THEFT SECURITY

Diesel anti-theft devices



Part No. 74 85 134 021

Mechanical diesel anti-theft device with float	74 85 134 021
--	---------------

Fuel anti-theft device to prevent fuel siphoning, integral anti-backflow system with float to protect every drop of fuel, even with a full tank. Diameter: 79 mm.
Note: the float has been designed to float to the surface once the fuel filler nozzle has been removed, so it is not possible to re-insert the nozzle in the tank.

Diesel mechanical anti-theft device without float	74 22 416 915
---	---------------

Anti-theft fuel siphoning device, integral anti-backflow system. Diameter: 68.5 mm.

To be ordered with:

System protection	74 23 618 214
-------------------	---------------

Strong box



Strong box with fixing kit	74 25 980 634
----------------------------	---------------

Motorised automatic locking system (battery-powered; 10,000 opening and closing operations), electronic locking with 4-digit code (changeable) and 5-minute memory function. Low battery indicator. Laser cut doors, restricted space between the door and frame. Door locked between 2 steel pivots. Vertical or horizontal installation. Sturdy internal locks and hinges, no plastic components. EC Compliant. Grey anthracite.

Capacity: 8.3 litres. Weight: 6.5 kg.
Dimensions (L x W x H in mm): 280 x 235 x 165.
Steel plate wall thickness:
- Door: 5.0 mm.
- Compartment: 1.5 mm.

Lock



Mechanical anti-intrusion Doorlock	74 84 078 457
------------------------------------	---------------

Kit comprising: Mechanical locking system to be fitted to the cab door (right-hand and left-hand) and stickers to be adhered to the door window glass.
Mechanical safety system in addition to the remote control locking system. Withstands attempted break-in.

FIRE SAFETY

Fire extinguishers



Part No. 50 10 404 152

Part No. 74 22 590 688

2 kg fire extinguisher	74 82 144 576
3 kg fire extinguisher	74 82 144 585
6 kg fire extinguisher	50 10 404 152

Protective case for fire extinguishers located on the outside of a vehicle or trailer. Suitable for 6 to 9 kg type fire extinguishers. Vertical or horizontal installation. High resistance to impacts and projections. Supplied with bolt and retaining strap.

SAFETY SYSTEMS

Horn



Roof horn	50 10 525 423
-----------	---------------

Chrome-plated steel roof-mounted horn. Dimensions (L x H in mm): 610 x 150. Weight: 1.2 kg. Powerful horn that improves vehicle design.

To be ordered with:

Console	74 82 364 505
24 V solenoid valve	74 21 472 978

Driver assistance ECU

Driver assistance ECU	74 22 364 866
-----------------------	---------------

Electronic control unit required for breathalyser test ignition immobiliser devices and also for lane departure warning systems. Not fitted as standard.

DRIVING SAFETY

Breathalyser ignition immobiliser test



Part No. 74 23 718 890

Breathalyser ignition immobiliser test, left-hand drive 74 23 718 889

Breathalyser ignition immobiliser test, right-hand drive 74 23 718 890

Measures the concentration of alcohol in the driver's breath and prevents the vehicle from starting if the measurement is above a pre-set limit. Moderate and continuous breath for 5 seconds. Analysis time: 5 to 25 seconds. Strong construction for guaranteed reliability in all environments. Dimensions (L x W x H in mm): 150 x 48 x 50. Weight: 220 g. Operates from -40°C to +85°C. Three different coloured LEDs give the results (pass, warning, fail). Measurement level: 0 to 1.00 mg/L. LCD display graph. Memory: 100,000 tests. 12 or 24 V.



Single-use mouth pieces (pack of 25) 74 22 024 666

VISIBILITY

Rotating beacons



Part No. 74 24 117 481

LED version 74 24 117 481

Two 24 V orange rotating beacons (sold with a fitting kit).

Work lights



Part No. 74 85 136 995

White LED work light 74 85 136 995

White 16-LED lighting. Consumption: 43 Watts. Power supply 9 to 33 V. Brightness: 3000 lumens. Supplied with cable and fixings. Attaches to the top section of the back of the cab. Provides light at the rear of the cab. Facilitates maintenance and handling operations.

White work light 74 21 650 855

Attaches to the top section of the back of the cab. Lights up the rear of the cab. Facilitates maintenance and handling operations. Dimensions: 104 x 94 mm. Supplied with cable and fixings.

Headlight guards



Part No. 74 84 438 248

Headlight guards (Ranges K and C with steel corners)

Set of 2 guards + fixing system 74 84 438 248

Headlight guard consists of fitting a panel in front of the whole surface area of the light. This clear plastic panel is designed to minimise destruction of the glass caused by particles and premature wear due to stone chips.

The headlight guard was designed and developed for customers who work in a dusty environment. Gravel and grit can damage the glass, making it opaque and altering the distribution of light and can lead to a loss of brightness. Each headlight guard is constructed of 3 mm thick POLYACRYLIC PMMA, a material that provides exceptional transparency and has excellent UV resistance. Using the four clips included in the kit, these headlight grilles are easy to fit in position.

The kit includes both right and left-hand guards and clips.

For Renault Trucks K only.

All countries, Euro 3, Euro 5 and Euro 6 standards.

Variant adaptation: 880 03 – headlight guard.

SCREENS

Double glazing



Left-hand side double-glazing

74 82 396 702

Right-hand side double-glazing

74 82 396 705

Side window glass, 4 mm thick. Unbreakable laminated glass. Better protection against theft and break-in, as well as better vehicle noise and heat insulation.

Warning triangle



Worksite bar equipped with warning triangle and rotating beacons

74 21 650 717

Complete pre-wired assembly, pre-equipped on the vehicle. Contains 1 bar (140 cm) supporting 2 x 12 V rotating beacons and 1 folding triangle. Dual purpose: standard, with two rotating beacons; worksite with folding triangle. 24 V.

WIPER BLADES



Set of 2 standard wiper blades

74 82 559 001

Set of 2 flat blade wiper blades (from 2022 onwards)

74 78 610 034



COMFORT

Vehicle comfort and customisation will make your drivers proud to do their job. Create your own working environment by choosing from our wide range of accessories.



CAB FIXTURES AND FITTINGS

Kettle



24 V kettle	74 85 134 400
Robust relay technology, automatic shut-off when boiled or if there is no water in the kettle. Power ON indicator. Colours: black and silver. Capacity 0.75 L. Power supply 24 V. Power consumption 380 Watts. Dimensions (L x W x H in mm): 190 x 125 x 205. Weight: 750 g. With fixing kit for wall/horizontal installation. E-Approved (CEM Directives).	

Coat hook



Coat hook	74 82 291 102
Colour: medium grey. For Renault Trucks C.	

Ice cooler



24 L electric ice cooler	74 85 134 405
Electric ice cooler with a 24-litre capacity (approx.). Supply voltage: 12 DC and 230 V AC. Dimensions (L x W x H in mm): 420 x 300 x 420. Weight: 4.3 kg. Automatic AC/DC communication (12/230 V) for vehicle and mains power supply. Two clear zip pockets, a mesh pocket, a cable compartment and adjustable strap. Enough height for 2-litre bottles. Velcro fastenings for securing in the vehicle and a hard-wearing outer casing. Can be placed on the passenger seat and held in position using the seat belt. EC, TUV/GS compliant, approved in accordance with the current directive for vehicles.	

Courtesy mirror



Courtesy mirror	74 82 517 056
Courtesy mirror built into the interior of the overhead storage unit. Dimensions: 88 x 136 mm.	

Cooler



Bottle cooler	74 82 268 385
Storage capacity: 2 x 1.5 L. Weight: 4.6 kg (empty). 24 V. Dimensions (L x W x H in mm): 160 x 276 x 430.	

Refrigerators



26 L additional refrigerator	74 84 581 543
Capacity 26 L. Weight: 16 kg (empty). Dimensions (L x W x H in mm): 600 x 662 x 230. Voltage: 12/24 DC. Temperature: 4°C to 12°C. Colour: black.	

Blower



Blower	74 85 134 118
--------	---------------

Professional blown air gun. Pressure: 8.5 bar. 2 m polyurethane red coiled hose. Colours: red and grey.
Ergonomic air gun is easy to grip.
Connects or disconnects instantly to the cab pressure connection.
Suitable for cleaning the cab interior.

Connection kit	74 84 800 304
----------------	---------------

For trucks manufactured on or after 10/03/2017.
Professional blown air gun, Part Number 74 85 134 118, can be connected to the air system located underneath the seat.
This kit contains:
- Pipe routing
- Clip
- Bracket
- Nut and bolt
- Blown air gun connector

Clipboard



Clipboard	74 82 224 412
-----------	---------------

Clipboard used to hold documents. Integrated pen-holder.
Can be fitted in position on the steering wheel.
Weight: 310 g. A4 format. Colour: carbon.

SEAT COVERS AND FLOOR MATS

Seat covers

Expert	Customised seat covers in two-colour simulated leather: nutmeg centre section and anthracite grey side panels. Easy to fit with zip fastening. Suitable for heavy-duty use in very dirty environments. Can be sponged down.
New Force	Resistant custom-fitted covers, in the same fabric used for original equipment. Colours: anthracite and black.
Classy	Custom-fit seat covers, with high-quality 3D stitching. Resistant breathable covers in the same woven fabric as used for original equipment. Protection and comfort combined.

		Expert	New Force	Classy
Driver	Adjustable headrest	-	74 23 677 877	74 85 136 367
	Built-in headrest	74 85 136 361	74 23 677 872	-
Passenger	Adjustable headrest	-	74 23 677 879	74 85 136 368
	Built-in headrest	74 85 136 362	74 23 677 873	-
Third seat	Left-hand drive	74 85 136 361	74 23 677 872	-
	Right-hand drive	74 85 136 362	74 23 677 873	-



Expert



New Force



Classy

Very hard-wearing OUTDOOR seat covers



Comfortable, easy-to-clean, very hard-wearing seat covers suitable for heavy-duty use in dirty environments.

- Seat covers with built-in headrest for driver and passenger seats.
- Very hard-wearing PVC and fabric seat covers.
- Fabric seat cushion with reinforced PVC upper and side section.
- Plain fabric backrest with PVC surround.
- Hygienic PVC headrest front panel.

ADVANTAGES

- Seat is restored to "as new" appearance and protected after heavy-duty use.
- Seat covers designed to withstand frequent entry and exit from the cab.
- Products that are perfectly suited to construction and worksite vehicles.
- Seats are kept clean, for an improved resale value.
- Seat covers can be used from the point of truck purchase, providing a better vehicle resale value.

Renault Trucks C & K		
1 x driver's OUTDOOR right-hand seat for Renault Trucks C or K, with built-in headrest and seat belt		74 25 990 183
1 x passenger OUTDOOR left-hand seat for Renault Trucks C or K, with built-in headrest and seat belt		74 85 990 184

Complete refurbishment kit containing seat covers and floor mats



DESCRIPTION
In this kit there is a set of 3 mats: driver's mat, passenger mat and centre tunnel mat to match the carbon floor trim.
This kit is compatible with seats that have a built-in headrest.
Seat covers with built-in headrest for driver and passenger:
- Trim: carbon, high-quality finish.
- Material: 100% polyester on polyurethane foam.
- Appearance: stitched - woven and knitted - 3D centre stitch.
- Made in France.
Driver and passenger mats and centre tunnel mat:
- Thick black velour with over-stitched edging.
- Central area for access to the covered bunk without obstructing the opening of drawers underneath the bunk.
- Comfortable mats that help to keep the bunk access area clean.
- Made in France.


ADVANTAGES
- Matches the floor areas and seats, giving the cab "as new" appearance.
- A clean interior for the best resale value.
- Refurbishment kit that can be used from the point of truck purchase, providing a better vehicle resale value.

Renault Trucks C & K	
Complete refurbishment kit	74 85 151 626
Centre tunnel mat	74 25 990 168
Driver and passenger mats	74 25 990 169

Floor mats



Part No. 74 21 514 904



Part No. 74 84 526 409

Rubber floor mat, left-hand drive	74 21 514 904
Rubber floor mat, right-hand drive	74 21 514 905
Rubber floor mat with raised Renault Trucks logo. Sold in pairs: one mat for the driver's side and one for the passenger side.	

Textile floor mat, left-hand drive	74 84 526 409
Textile floor mat, right-hand drive	74 84 526 546
Textile floor mat with red Renault Trucks logo. Sold in pairs: one mat for the driver's side and one for the passenger side.	

CAMERAS

Cameras



Part No. 74 21 631 566

For vehicles manufactured before 09/2018	
Camera (10 m cable)	74 21 631 566
Kit includes: camera + 10 m cable + suitable connector.	
Camera (20 m cable)	74 21 631 565
Kit includes: camera + 20 m cable + suitable connector.	

These two cameras are to be ordered with:

Wiring harness kit	74 22 106 752
Fir-tree type fitting	50 03 085 032
Cable tie	50 03 085 014
Video switch	74 22 488 194

For vehicles manufactured from 09/2018 onwards	
Camera (10 m cable)	74 23 317 424
Kit includes: camera + 10 m cable + suitable connector.	
Camera (20 m cable)	74 23 317 425
Kit includes: camera + 20 m cable + suitable connector.	

CB

CB



Part No. 50 01 872 845

CB	50 01 872 845
Johnson II CB radio; 40 channels; AM/FM; 12 V. Dimensions (L x W x H in mm): 170 x 150 x 52.	
Rack for CB	74 85 134 463
Johnson II CB radio; 40 channels; AM/FM; 12 V. Dimensions (L x W x H in mm): 170 x 150 x 52.	

ADDITIONAL LIGHTING

Roof bars



Roof bar for **Day cab and Night & Day cab** 74 23 508 567

Roof bar for **Sleeper cab and High Sleeper cab** 74 23 495 448

Kit contents: one stainless steel roof bar and wiring harnesses.
The vehicle can be customised.
Additional lights to be ordered separately.

LED lighting strips



Part No. 74 21 918 119

Blue monochrome LED lighting strip kit (front end) 74 21 918 119

Blue LED lighting strip for front panel only.
Operated by a switch.

Complete monochrome kit of blue LED lighting strips (front end and side fairings) 74 21 650 831

Blue LED lighting strips for front panel and side fairings.
Operated by a switch.

Complete polychrome kit with LED lighting strips (front panel and side fairings) 74 21 650 833

LED lighting strips for front panel and side fairings. An infinite choice of colours based on the 3 primary colours. Control panel for colour management.

Additional white light



Part No. 74 85 135 868



Part No. 74 85 135 869

Additional white light - Rallye 3003 74 85 135 868

Side light comprising 6 high-performance LED lights producing an intense white light. Precision reflector for optimum and uniform lighting of the road ahead, up to 500 m.

Additional white light - Luminator 74 85 135 869

Chromium Celis H1 LUMINATOR long range headlight with Celis side light. Round side light with a white appearance provided by LED lights. 70 W light.

WHEEL EQUIPMENT

Wheel rims



Part No. 50 10 598 325

Alloy wheels

Alloy rims are lighter than standard rims. They offer improved road-holding, greater comfort and a significant weight saving.

Steered/Drive wheels	
22.5 x 8.25	50 10 598 325
22.5 x 9.00	74 22 606 553
Steered wheel	
22.5 x 11.75	74 22 606 560

Dura-Bright rims®*

* Dura-Bright® is a patented soap and water-based surface treatment product for fast cleaning.

Steered/Drive wheels	
22.5 x 8.25	74 22 606 573
22.5 x 9.00	74 22 606 575
Steered wheel	
22.5 x 11.75	74 22 606 577

AIR CONDITIONING UNITS

Temperature controllers



Part No. 74 22 605 690

Cab interior temperature controller - RTX 1000 for Day cab and Night & Day cab (H1).	74 23 488 884
---	---------------

Cab interior temperature controller - RTX 1000 for Sleeper cab and Night Sleeper cab (H2).	74 23 488 890
---	---------------

For variable temperature control inside the vehicle. Interior air is drawn in, cooled and dried via the intake grille in the air conditioning unit and returned to the vehicle interior through the blower vents. Mounted on the cab roof (the air conditioning unit replaces the sunroof). For **Renault Trucks C.**

ROBUSTNESS

Whatever the weather conditions and no matter how complex the road network, our accessories will help you to complete your duties successfully.



BATTERY ACCESSORIES

Battery charger kit



Battery charger kit	74 23 034 242
---------------------	---------------

Provides higher charging voltages and helps to maximise battery life. All chargers have at least 20 A and are designed to avoid over-charging. Waterproof and suitable for all rechargeable batteries installed in vehicles equipped with a 24 V electrical system. No need to remove the battery caps or to disconnect the battery cables while charging. The charger is designed for charging at low temperatures. It has a built-in temperature compensating device to provide an optimum charge.

Fully automatic and equipped with advanced switching technology, the charger switches off automatically once the batteries are fully charged. The charger consumes minimal power. Can be used as a power supply and can recharge fully discharged batteries.

- ADVANTAGES
- Low energy consumption.
 - Permanent installation.
 - No disruption to advanced electronic equipment.

Battery reconditioner



Battery reconditioner	74 23 162 781
-----------------------	---------------

ADVANTAGES

Increases battery available charging capacity by preventing and reducing the build-up of lead sulphate.

Increases battery life by directly tackling ageing caused by sulphation.

Prevents deep discharges that reduce battery life and lead to premature battery replacement.

This reconditioner, suitable for Renault Trucks vehicles fits easily into the battery compartment.

Battery reconditioner comes with a 2-year warranty, parts and labour included.

DRIVING ASSISTANCE

Additional screen for dashboard



Part No. 74 22 224 265

Additional screen for short and long dashboard (left-hand drive) and for short dashboard (right-hand drive).	74 22 224 265
--	---------------

The additional screen has been designed to support driver activities such as navigation, fleet management, reversing and side cameras, front-view mirror, etc. It is located in the centre of the dashboard. 7-inch screen. Touch-sensitive interface. Buttons for easy access to functions (ON/OFF, source change, lighting brightness, day/night mode, etc.). Easy to use (touch-sensitive screen, intuitive interface). Operating temperature range: -40°C to +85°C. The component can withstand a high vibration environment. Dust-proof.

To be ordered with:	
Decorative adhesive strip	74 82 522 720
Frame	74 82 514 292
Wiring harnesses	74 21 676 969
Screen	74 82 514 290
Protection	74 82 514 294